



TITLE:

Cover

AUTHOR(S):

---

CITATION:

Cover. The Review of Physical Chemistry of Japan 1970, 39(2)

ISSUE DATE:

1970-04-10

URL:

<http://hdl.handle.net/2433/46932>

RIGHT:

# THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

Founded in 1926

## CONTENTS

<b>Akifumi Onodera: High Pressure Transition in Cadmium Selenide .....</b>	<b>65</b>
<b>Akifumi Onodera: High Pressure Transition in Cadmium Telluride.....</b>	<b>78</b>
<b>Masao Murano: High Resolution NMR Spectra of Polyacrylonitrile and Its Two-unit and Three-unit Model Compounds.....</b>	<b>93</b>
<b>Tokio Nakamura, Kiyoshi Shimizu and Jiro Osugi: Chemical Reaction at High Temperature and High Pressure VII, Solid State Reaction of Silicon with Graphite to Form Silicon Carbide and Its Stability .....</b>	<b>104</b>
<b>H. Tracy Hall: High Pressure Syntheses Involving Rare Earths.....</b>	<b>110</b>
<b>Kazuhiro Maruyama, Masaharu Yoshida, Iwao Tanimoto and Jiro Osugi: The Structure of Metal Ketyls Derived from Xanthone Analogues I, On the Electronic Structure of Monomer Metal Ketyls.....</b>	<b>117</b>
<b>Kazuhiro Maruyama, Masaharu Yoshida and Jiro Osugi: The Structure of Metal Ketyls Derived from Xanthone Analogues II, On the Electronic Interaction in Ketyl Radicals .....</b>	<b>123</b>

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

# THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

Founded in 1926

**President:** Wasaburo Jono

**Members of Council:**

Toshio Maeda (Chief)

Jiro Osugi

Ryozo Goto

Renpei Goto

Eiji Suito

**Board of Editors:**

J. Osugi (Chief) *Kyoto University*

R. Goto (Associate) *Kyoto Sangyo University*

E. Suito ( " ) *Kyoto University*

S. Shida *Tokyo Institute of Technology*

T. Kitagawa *Yokohama University*

M. Tamura *Kyoto University*

H. Teraniishi *Kyoto Technical University*

K. Suzuki *Ritsumeikan University*

K. Hirota *University of Osaka*

S. Seki *University of Osaka*

T. Imoto *Osaka City University*

R. Fujishiro *Municipal University of Osaka*

O. Toyama *Prefectural University of Osaka*

S. Ono *Prefectural University of Osaka*

S. Tsuchihashi *University of Kobe*

T. Makita *University of Kobe*

S. Hasegawa *Okayama University*

H. Togawa *Doshisha University*

**Secretary:**

K. Shimizu

M. Sasaki

K. Hara

April 10, 1970

**Communications to the Editor** should be addressed to Board of Editors, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

**Business Correspondences** should be addressed to: Secretary, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

**Purchase Order** should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.

Published by

**THE PHYSICO-CHEMICAL SOCIETY OF JAPAN**

(Nippon Butsuri-Kagaku Kenkyu Kai)

Faculty of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA INSATSU CO., Kyoto, Japan

New 1600 T/D tower under construction

170 T/D urea-prilling tower on stream at Osaka

Set to go on-stream in mid-1969, MITSUI TOATSU's new facility in Osaka will be the largest single-train urea plant ever built. It employs the latest MITSUI TOATSU Urea Process—the Total Recycle Camproved Process.

MITSUI TOATSU Urea Processes are now in use in 37 plants in 19 countries, with an additional 12 more plants now under construction. World-wide, the production capacity of these plants is reaching to some 8.2 million tons of urea annually—one third of the world's urea capacity.

On October 1st, 1968, Toyo Kasei merged with Mitsui Chemicals and changed its name to MITSUI TOATSU CHEMICALS, INC.



*A new name — one to remember every time you think of petrochemicals.*

**MITSUI TOATSU CHEMICALS, INC.**

2-5, KASUMIGASEKI 3-CHOME, CHIYODA-KU, TOKYO 100, JAPAN Cable: MITSUITOATSU  
Telex: No. 0922-3622, MITSUI TOATSU TOK

# The Review of Physical Chemistry of Japan

Vol. 39, 1969

## CONTENTS

### No. 1

- Yoichi Kitamura:** Relation between the Pressure Effect and the Structure of Solvent Molecule. Pressure Effects on the Various Alcoholic Solutions of Cobaltous Chloride (II) and Cobaltous Bromide (II) ..... 1
- Muneo Sasaki:** Kinetic Studies on Fast Reactions in Solution VI, The Kinetic Studies on the Reaction between Tetrahalogeno-*p*-benzoquinones and Alkali Iodides.....27
- Muneo Sasaki:** Kinetic Studies on Fast Reactions in Solution VII, The Kinetic Studies on the Reaction of *p*-Benzoquinone and Its Derivatives with Alkoxy Ions .....40
- Jiro Osugi, Muneo Sasaki and Ichiro Onishi:** The Effect of Pressure on the Rate of the Benzidine Rearrangement III, 2 2'-Dibromohydrazobenzene ..... 57

### No. 2

- Akifumi Onodera:** High Pressure Transition in Cadmium Selenide ..... 65
- Akifumi Onodera:** High Pressure Transition in Cadmium Telluride..... 78
- Masao Murano:** High Resolution NMR Spectra of Polyacrylonitrile and Its Two-unit and Three-unit Model Compounds..... 93
- Tokio Nakamura, Kiyoshi Shimizu and Jiro Osugi:** Chemical Reaction at High Temperature and High Pressure VII, Solid State Reaction of Silicon with Graphite to Form Silicon Carbide and Its Stability .....104
- H. Tracy Hall:** High Pressure Syntheses Involving Rare Earths.....110
- Kazuhiro Maruyama, Masaharu Yoshida, Iwao Tanimoto and Jiro Osugi:** The Structure of Metal Ketyls Derived from Xanthone Analogues I, On the Electronic Structure of Monomer Metal Ketyls.....117
- Kazuhiro Maruyama, Masaharu Yoshida and Jiro Osugi:** The Structure of Metal Ketyls Derived from Xanthone Analogues II, On the Electronic Interaction in Ketyl Radicals .....123

*Published by*

**THE PHYSICO-CHEMICAL SOCIETY OF JAPAN**


*Faculty of Science, Kyoto University, Kyoto, Japan*

## PRODUCTS FOR TODAY ——— PRODUCTS FOR TOMORROW

KANEGAFUCHI now serves more than 100 industries varying from food to feed, soaps to textiles, electric wires to plastics.

KANEGAFUCHI's variety of products include industrial chemicals, polymers, oil & fat products and fermentation products. Such diversified operation ranks KANEGAFUCHI a unique position in the industry.

KANEGAFUCHI's research activities which enabled successful achievement of today's products are continually producing a flow of new products to meet the challenge of tomorrow



### PRINCIPAL PRODUCTS :

- KANEVINYL (PVC & copolymer, PVC compound)
- KANE ACE-S (ABS resin)
- KANE ACE-B (PVC modifier)
- KANE PEARL (expandable polystyrene beads)
- KANEKALON (modacrylic fiber)
- Electric wires & cables
- Caustic soda, Hydrochloric acid, KANECHLOR (transformer oil, heat transfer medium), Butanol, Acetone
- Bakery yeast, RNP (ribonucleo-protein), MIKAMY-Feed (animal feed additives)
- Margarine, Shortening oil, Soap, Glycerine

**KANEGAFUCHI CHEMICAL INDUSTRY CO, LTD.**

3,3-chome, Nakanoshima, Kita-ku, Osaka, Japan

Cable address: CHEMIKANE

# ASAHI CHEMICAL INDUSTRY CO., LTD.

**Capital:** ¥ 22,928,543,850

**President:** KAGAYAKI MIYAZAKI

**Head Office:** 25, 1-chome, Dojima-hamadori, Kita-ku, Osaka, Japan

**Tokyo Office:** 12, 1-chome, Yurakucho, Chiyoda-ku, Tokyo, Japan

**Other Branch Offices:** Nobeoka, Nagoya, Fukuoka, Mizushima, Fuji, Sapporo,  
Hokuriku, New York, Hamburg, Hong Kong, Taipei, Beirut, Djakarta

**Plants:** Nobeoka, Mizushima, Fuji, Kawasaki, Sakanoichi, Wakayama, Matsudo Hozumi

**Laboratories:** Tokyo, Nobeoka, Takatsuki

Asahi's history dates as far back as 1923 when the late Mr. Jun Noguchi, who was the first president of the company, erected a synthetic ammonia plant in Nobeoka, present site of the company's major plants. This is a memorable plant in that the first commercial production of synthetic ammonia in the world by the Casale process was successfully started at this plant.

Thereafter Asahi's production activity continued to expand, with the exception of the war years, into great many fields. Using ample electric power from its own power plants and standing on the firmly established basis that primary raw materials are available within the company, Asahi has been producing chemical fibers, synthetic resin, explosives, chemical fertilizers, chemical seasoning, industrial nitrocellulose and several scores of chemicals of ammonia, soda and chlorine derivatives.

This fact points up to Asahi's special feature as a chemical company. Asahi ranks first in the production of viscose rayon in Japan and its cuprammonium rayon capacity is largest in the world. Using acrylonitrile monomer produced by Sohio process at its Kawasaki and Mizushima plants, Asahi produces polyacrylic fiber "CASH-MILON" by its own process. Production acrylonitrile monomer and of polyacrylic fiber is also

the largest in Japan. Asahi's chemical seasoning (monosodium glutamate) AsahiAji, MITASU, ranks second in output of similar chemical seasonings. Sun-Nitro, Asahi's unique chemical fertilizer, is building up for itself a spectacular sales. Asahi's industrial nitrocellulose and electrolytic soda production is the largest in Japan. Asahi is also at the top in production volume of all the explosives manufacturers in Japan. Recently Asahi launched into three new fields of operation, i.e. nylon 6, synthetic rubber polybutadiene "ASADENE" and new building material "HEBEL".


At present, Asahi's products are exported to 50 different countries. Export of the process is also making headway. Worthy of mention in this connection is the export of viscose rayon manufacturing techniques to the Baroda Rayon Corporation, India, and Dawood Industries Limited, Pakistan, and of polyacrylic fiber manufacturing techniques to ANIC S. p. A., Italy. Through all these activities, the excellence of Asahi's techniques is highly evaluated.

Asahi now has many powerful affiliates, including Asahi-Dow Limited and Shin Nihon Chemical Industry Co., Ltd. and is proceeding on the road to further growth as a multiple-purpose chemical company.



*As specialists we have contributed to the world industries since 1924.*

# **DAIKIN FLUOROCHEMICAL PRODUCTS**



## **FLUOROCARBON REFRIGERANTS**

DAIFLON-11  $\text{CCl}_3\text{F}$   
DAIFLON-12  $\text{CCl}_2\text{F}_2$   
DAIFLON-13  $\text{CClF}_3$   
DAIFLON-21  $\text{CHCl}_2\text{F}$   
DAIFLON-22  $\text{CHClF}_2$   
DAIFLON-112  $\text{CCl}_2\text{F}-\text{CCl}_2\text{F}$   
DAIFLON-113  $\text{CCl}_2\text{F}-\text{CClF}_2$   
DAIFLON-114  $\text{CClF}_2-\text{CClF}_2$   
DAIFLON-115  $\text{CClF}_2-\text{CF}_3$   
DAIFLON-152  $\text{CH}_3-\text{CHF}_2$   
DAIFLON-500 12/152 (73.8/26.2wt.%)  
DAIFLON-502 22/115 (48.8/51.2wt.%)

## **FLUOROCARBON SOLVENTS**

DAIFLON SOLVENT S1, S2, S3

## **AEROSOL PROPELLENTS**

DAIFLON Aerosol 12/11  
DAIFLON Aerosol 12/114

## **FLUOROCARBON POLYMERS**

POLYFLON Polytetrafluoroethylene  
NEOFLON Copolymer of tetrafluoroethylene and hexafluoropropylene  
DAIFLON Polymonochlorotrifluoroethylene  
DAIFLOIL Lowpolymer of monochlorotrifluoroethylene

## **FLUORO-CHEMICALS**

Anhydrous Hydrofluoric Acid  
Aqueous Hydrofluoric Acid  
Benzotrifluoride and its derivatives  
FRATOL  $\text{CH}_2\text{FCOONa}$  (Rodenticide)  
FUSSOL  $\text{CH}_2\text{FCONH}_2$  (Insecticide)  
FRENOCK  $\text{CHF}_2\text{CF}_2\text{COONa}$  (Herbicide)  
Other Fluorides


For information about products write below address.

Head Office : Shin-Hankyu Bldg., 8, Umeda, Kita-ku, Osaka, Japan. Tel : Osaka 312-1201 Cable Address : DAIKINOKAY  
Tokyo Branch : Fuji Bldg., 5, 2-chome, Yaesu, Chuo-ku, Tokyo, Japan. Tel : Tokyo 272-3211 Cable Address : TKYDAIKINOKAY

# Put all your titanium eggs in one basket?

To make optimum use of the advantages of titanium—superb corrosion resistance and highly desirable mechanical properties—titanium-lined and solid titanium equipment must be designed and manufactured with much care and more know-how.


Who could do the job better than a company that combines all the experience in steel and titanium metallurgy, machinery



design and manufacture, and testing techniques under one roof—in one basket, so to speak? Kobe Steel designs and produces a variety of devices and equipment either lined with or made completely of titanium, such as reactors, towers, heat exchangers, vessels, valves, pumps etc. for the petrochemical industry, electrolysis vats and electrodes for use in electrochemistry, and equipment for pulp, food, and synthetic textile processing.

Kobe Steel uses its own steels, its own titanium, its own know-how. That's why Kobe Steel can guarantee rigorous quality control at each and every production stage.


If you insist, we'll sell you just the titanium, too. Either way, it pays to get the details. Write to our nearest office.



## KOBE STEEL

MACHINERY DIVISION

HEAD OFFICE: 36, 1-chome, Wakoinohama-cho, Fukuoka-ku, Kobe, Japan  
NEW YORK OFFICE: 529, 5th Avenue, New York, N.Y. 10017, U.S.A.  
DÜSSELDORF OFFICE: 10, Immermannstr., Düsseldorf, West Germany



Single crystals of HORIBA., offered as complete products ready to use which are free from impurity absorption, have aquired worldwide reputations.

Our scintillators, such as NaI (Tl), CsI (Tl) or CaI<sub>2</sub> are also credited and used internationally by the nuclear scientists, for the established qualities.

	NaCl	KCl	KBr	KI	LiF	AgCl	KRS-5*	KRS-6*	CsI
Limit of transparency (microns)	~15	~21	~27	~31	~6	~30	~40	~34	~70
Refractive index:	1.555	1.498	1.559	1.667	1.394	2.071	2.629	2.336	1.987
Solubility:**	35.7	28.5	53.5	127.5	0.27	$8.9 \times 10^{-5}$	0.02	0.32	44
Specific gravity: gr/cm <sup>3</sup>	2.16	1.59	2.75	3.13	2.64	5.56	7.2	7.19	4.53
Melting point: °C	801	776	730	680	843	455	415	424	621
Maximum diameter: mm	120	120	120	120	100	60	60	60	60
Maximum height: mm	100	100	100	70	60	100	60	100	100

\* KRS-5 is a compound single crystal of TlI and TlBr, and KRS-6 is a compound single crystal of TlCl and TlBr.

\*\* g/100 gr water at normal temperature.

# HORIBA, Ltd.

## Head office & Factory:

Miyano Higashi-machi,  
Kissyojin, Minami-Ku, Kyoto  
Tel: (075) 313-8121

## Tokyo branch office:

No. 2-18, Nishihatchobori, Chuo-ku,  
Tokyo Tel: (03) 552-7661